100% MADE IN ITALY

CE

EU

EN280
EN3691-1

ELEVAH®

a brand of Faraone



www.elevah.com

FOR US, SAFETY IS NOT JUST A DETAIL






Maximize safety in your company

The Elevah is characterized by the great attention paid to each detail to increase the safety of the operator.

INCREASE THE PROTECTION FACTOR

By minimizing the risk of accidents when working at height.





elevah.com

PREVENTION IS BETTER THAN CURE

Raise the level of prevention

Thanks to ergonomically designed workstations, the risk of accidents is significantly reduced. These allow the user to work without excessive effort and maintain the correct posture.





SAVE TIME, EFFORT AND MONEY

Increase the profitability of your business

By having machines that can be moved quickly, are easy to handle and are equipped according to the activities carried out at height (maintenance, inspection or picking).





14 - 16 m

9-12 m

8 m

7 m

6.5 m

6 m

5 m

4 m



ZP SERIE

ZP150
14m | 16m



ZP200
14m



PKS SERIE

PKS920



PKS1200



ZP150 - ZP200
10m | 12m



ELEVAH 80
MOVE PICKING





ELEVAH 80

MOVE

ES MOVE



ZP150 - ZP200
8m



ELEVAH 75 TIRES



ELEVAH 70



ELEVAH 65
MOVE PICKING



ELEVAH 65

MOVE

MOVE LIGHT

ES MOVE

TB



ELEVAH 6

MOVE PICKING

TFL

TIRES



ELEVAH 61



ELEVAH 6 MOVE



ELEVAH 6 ES MOVE





ELEVAH 5

MOVE PICKING

T.FL

INOX

TIRES





ELEVAH 5

MOVE

INOX



MOVE LIGHT

ES MOVE



ELEVAH 40

MOVE PICKING

B PICKING

T.FL

TIRES



ELEVAH 40

MOVE

B

ELEVAH®

a brand of Faraone®

EN280

MAINTENANCE SERIE

Everything at hand. Compact, ergonomic and easy-to-use solutions for inspection and maintenance work.

ELEVAH 40 MOVE


The evolution of ladders, ideal for facility management.

SELF-PROPELLED ON THE GROUND

- Maximum working height. : 4 m
- Maximum platform height : 2 m
- Weight: 280 kg
- Maximum capacity : 200 kg
- Length: 100 cm
- Width: 71.5 cm
- Electronic control display

EN280

200 kg







Push around version Elevah 40B

ELEVAH E5 MOVE

The most compact platform

SELF-PROPELLED UP TO THE MAXIMUM HEIGHT

- Maximum working height : 5,15 m
- Maximum platform height : 3.15 m
- Maximum capacity : 200 kg (1 operator)
- Electronic tilt control system
- Length : 98 cm
- Width: 70 cm
- Turning radius : 0

EN280

200 kg





ELEVAH®

ELEVAH E5 MOVE LIGHT

Easy to carry

SELF-PROPELLED UP TO THE MAXIMUM HEIGHT

- Maximum working height : 4.9 m
- Maximum platform height : 2.9 m
- Weight: 400 kg
- Maximum capacity : 200 kg
- Electronic tilt control system
- Length : 111 cm
- Width: 78 cm
- Turning radius : 0
- Additional work tray (OPTIONAL)



EU
EN280

200 kg

Maximum working height 4.9 m







Farame



ELEVAH® *INOX*

The stainless steel platform is ideal for all environments where hygiene and cleanliness are basic requirements, such as in the pharmaceutical and food industries.

Farame

ELEVAH 6 MOVE

For maintenance activities up to a height of 6 meters.

SELF-PROPELLED UP TO THE MAXIMUM HEIGHT

- Maximum working height: 6 m
- Maximum platform height : 3,98 m
- Maximum capacity: 200 kg
- Weight: 660 kg
- Electronic tilt control system
- Length : 110 cm
- Width: 78 cm
- Turning radius : 0

EN280

200 kg





elevah.com

ELEVAH 61

The first step to replace the ladder

PUSH AROUND **ELECTRICAL ADJUSTMENT**

- Maximum working height with stabilizers: 6.1 m
- Maximum platform height with stabilizers: 4.8 m
- Max working height without stabilizers: 3.9 m
- Maximum platform height without stabilizers: 1.9 m
- Weight: 237 kg
- Maximum capacity: 200 kg (1 operator)
- Length with stabilizers: 129.7 cm
- Length without stabilizers: 118.7 cm
- Width with stabilizers: 125.2 cm
- Width without stabilizers: 77 cm

EN280

200 kg



ELEVAH 70

Easy to move, compact and safe!

PUSH AROUND **ELECTRICAL ADJUSTMENT**

- Maximum working height with stabilizers: 7.25 m
- Maximum platform height with stabilizers: 5.25 m
- Maximum working height without stabilizers: 6 m
- Maximum platform height without stabilizers: 4 m
- Weight: 430 kg
- Maximum capacity : 200 kg (1 operator)
- Length with stabilizers : 138 cm
- Length without stabilizers : 132 cm
- Width with stabilizers: 135 cm
- Width without stabilizers : 78 cm



ELEVAH ES SERIE

Compact, extremely handy, maneuverable, and capable of reaching anywhere!

ELEVAH E5 ES

SELF-PROPELLED UP TO THE MAXIMUM HEIGHT

- Maximum working height: 4.9 m
- Maximum platform height: 2.9 m
- Maximum capacity: 150 kg
- Width: 98 cm
- Length: 70 cm
- Basket: extendable up to 60 cm
- Turning radius : 0

ELEVAH E6 ES


SELF-PROPELLED UP TO THE MAXIMUM HEIGHT

- Maximum working height: 6 m
- Maximum platform height: 3.98 m
- Maximum capacity: 200 kg
- Width: : 110 cm
- Length: 78 cm
- Basket: extendable up to 85 cm
- Turning radius : 0

ELEVAH 65-80 ES

SELF-PROPELLED UP TO THE MAXIMUM HEIGHT

- Maximum working height: 7.7 m
- Maximum platform height: 5.7 m
- Maximum capacity: 200 kg
- Width: 153 cm
- Length: 78 cm
- Basket: extendable up to 115 cm
- Turning radius : 0









4 versions with a working height of up to 6.8 m and a basket extendable by up to 115 cm.

ELEVAH 65 TB

270° rotating basket

SELF-PROPELLED UP TO THE MAXIMUM HEIGHT

- Maximum working height (without extension): 6-5 m
- Maximum platform height : 4.5 m
- Maximum capacity : 120 kg
- 270° rotating basket up to 5.8 m working height
- Electronic tilt control system
- Length : 128 cm
- Width: 78 cm
- Turning radius : 0
- Manually rotating basket

EN280

200 kg



Maximum working height 6.5 m





Farame

ELEVAH 65-80 MOVE

For sensitive floors and with weight limits

SELF-PROPELLED UP TO THE MAXIMUM HEIGHT

- Maximum working height:
  - 65M: 6.5 m
  - 80M: 7.75 m
- Weight:
  - 65 Move Light: 538 kg
  - 80 Move: 750 kg
- Maximum capacity : 200 kg
- Electronic tilt control system
- Length : 128 cm
- Width: 78 cm
- Turning radius : 0
- Portable commands

EN280

200 kg

ELEVAH 65 MOVE
LIGHT VERSION

Kg 538

Kg 750

Maximum working height 7.75 m





Farame



EN3691-1

PICKING MACHINES

The widest range of material picking solutions.

Fast, ergonomic and above all safe storage from 4 m to 7.7 m working height!

ELEVAH 40 MOVE PICKING

The evolution of ladders

SELF-PROPELLED ON THE GROUND

- Maximum working height. : 4 m
- Maximum platform height : 2 m
- Maximum capacity : 100kg + 100kg
- Platform size : 100 x 71.5 cm
- Foldable, electrically adjustable order picking tray

EN3691-1

200 kg





Maximum platform height 3 m

ELEVAH E5 MOVE PICKING

Ergonomic, compact and incredibly handy


SELF-PROPELLED UP TO THE MAXIMUM HEIGHT

- Maximum working height. : 5.15 m
- Maximum platform height : 3.15 m
- Maximum capacity : 100 kg + 100 kg
- Moving and lifting at the same time
- Electronic tilt control system
- Platform size : 115 cm
- Width: 70 cm
- Turning radius : 0
- Foldable, electrically adjustable order picking tray

EN3691-1

200 kg







ELEVAH E6 MOVE Picking

Ergonomic, compact and incredibly handy

SELF-PROPELLED UP TO THE MAXIMUM HEIGHT

- Maximum working height: 6 m
- Maximum platform height : 3,98 m
- Maximum capacity: 200 kg
- Weight: 705 kg
- Electronic tilt control system
- Length : 110 cm
- Width: 78 cm
- Turning radius : 0

EN3691-1

200 kg





elevah.com

ELEVAH 65 - 80 MOVE PICKING


Picking machines for high shelves

SELF-PROPELLED UP TO THE MAXIMUM HEIGHT

- Maximum working height :
  - 65MP: 6.50 m
  - 80MP: 7.70 m
- Maximum capacity : 100kg + 100kg
- Moving and lifting at the same time
- Electronic tilt control system
- Platform size : 128cm
- Width: 78cm
- Turning radius : 0
- Foldable, electrically adjustable order picking tray

EN3691-1

200 kg








ELEVAH T.FL SERIE

One step ahead in picking and storing bulk goods or bulky packages.

SELF-PROPELLED UP TO THE HIGHEST HEIGHT.








ELEVAH 40 T.FL

Platform with wheels for easy movement and loading on the ground.



ELEVAH E5 T.FL

Platform with wheels for easy movement and loading on the ground.



ELEVAH E6 T.FL

Platform with wheels for easy movement and loading on the ground.



TIRES SERIES

The safest and most effective way to store tires.

elevah.com

ELEVAH®

Machines for lifting and storing a complete set of tires weighing up to 150 kg









EU
EN3691-1

Picking
For Tires

ELEVAH

ELEVAH 40 Tires

The evolution of the ladder for the tire industry

SELF-PROPELLED ON THE GROUND

- Max work height : 4 m
- Maximum platform height : 2 m
- Maximum capacity : 100 kg + 120 kg
- Platform size : 100 cm
- Width: 71,5 cm
- Electric loading system for a complete set of tires directly from the ground

EN3691-1

220 kg





Maximum height with raised basket 2,8 m



ELEVAH

ELEVAH E5 Tires

The practical, compact and indispensable machine for tire storage.

SELF-PROPELLED UP TO THE MAXIMUM HEIGHT

- Maximum working height : 5.15 m
- Maximum platform height : 3.15 m
- Maximum capacity : 100 kg + 120 kg
- Moving and lifting at the same time
- Electronic tilt control system
- Platform length : 179 cm
- Width: 70 cm
- Turning radius : 0
- Electric loading system for a complete set of tires directly from the ground

EN3691-1

220 kg





ELEVAH E6 Tires

Kompakt, Robust, Stabil bis zu 6 m Arbeitshöhe!

SELF-PROPELLED UP TO THE MAXIMUM HEIGHT

- Maximum working height : 6 m
- Maximum platform height : 3.98 m
- Maximum capacity : 220 kg
- Moving and lifting at the same time
- Electronic tilt control system
- Platform length : 186 cm
- Width: 78 cm
- Turning radius : 0
- Electric loading system for a complete set of tires directly from the ground

EN3691-1

220 kg





ELEVAH 75 Tires

Maximum efficiency and productivity, up to 6.3 m!

SELF-PROPELLED UP TO THE MAXIMUM HEIGHT

- Maximum working height : 7.6 m
- Maximum platform height : 5.7 m
- Maximum capacity : 100 kg + 150 kg
- Electronic tilt control system
- Moving and lifting at the same time
- Platform size : 208 cm
- Width: 78 cm
- Turning radius : 0
- Electric loading system for a complete set of tires directly from the ground
- System that allows horizontal placement and effortless storage of tyres (optional)

EN3691-1

250 kg





Special machines for specific processes

Visit the 'Special Machines' section on our website



Compact machine for the maintenance of Airbus engines













INCREASE SAFETY AND ERGONOMICS WITH ACCESSORIES

Picking machines



REDLIGHT1
Lateral signal lights



BLUESPOT
Frontal signal light



PEPP
Elements for the expansion of the picking tray



PMF
Element to lenghten the electric picking tray



E5CPT
Storage basket for picking tray, height 60 cm



SP.TFL
3 extractable protections for the picking platform



PFE.P
Frontal protection for electric picking tray



E5BLMA
Direction lock for castors



RL
Side rollers

Find all the accessories on elevah.com

Aereal platforms



E5ASP
Removable storage tray cm 30x70 - Maximum capacity 40 Kg



RADAR1
Frontal Anti-collision Radar System



RADAR1B
Rear Anti-collision Radar System




SCR
Loading system for ramps



BG
Batteries without maintenance mod. 31 AGM 100 Ah (1 Kit)




LITHIUM BATTERIEN
Kit with 2 Trojan 12.8 Volt 110 A lithium batteries + increased battery charger.



CA
Additional remote control for loading on ramps



KEY ACC
Height limiter



AN-PR
Crushing protection under the basket

ELEVAH®

a brand of Faraone®

Faraone Industrie S.p.A.
Via San Giovanni, 20
64018 Tortoreto (Teramo) Italia
Tel. +39 086177 221

faraone.com
elevah.com



Contact :

Rev_07_2023